



MEMORANDUM

TO: Prospective Bidders

FROM: Becky Smyth, Purchasing Director

RE: Request for Bid - #048-20 Pre-Engineered Fabric Shade Structures

DATE: November 20, 2020

Enclosed you will find the necessary information for preparing and submitting your bid for the **Pre-Engineered Fabric Shade Structures** for Riverview Park located at **255 Frost Drive, Rome, GA 30165** for the City of Rome Georgia.

A pre-bid walk through will be held on **December 3, 2020 at 10:00 a.m.** at the work site. Interested parties are urged to attend this meeting.

The deadline for submitting your bid is **December 15, 2020 at 3:00 p.m.**

Interested parties may receive a copy of the proposal request by logging on to the City of Rome, Georgia website at www.romefloyd.com. All questions regarding the proposal should be sent to Jackson Abercrombie, jabercrombie@romega.us no later than **December 7, 2020 at 5:00 p.m.** All questions and answers will be posted on the City of Rome website. It is the responsibility of interested parties to visit the site regularly to insure receipt of any new information that may be provided.

If you have further questions, please do not hesitate to call my office at 706-236-4410.

Becky Smyth
Purchasing Director

INSTRUCTIONS FOR BIDDERS

I. Bids must be received by **December 15, 2020 at 3:00 p.m.**

II. Bids must be delivered to:

City of Rome
601 Broad Street
Rome, Georgia 30161

III. Bids must be sealed and marked:

“Bid # 048-20 Pre-Engineered Fabric Shade Structures”

IV. Bids must be complete and include:

- A. Completed Bid Proposal Form
- B. Executed Bidder’s Declaration
- C. Executed Certificate of Non-Discrimination
- D. Executed Affidavit of Non-Collusion
- E. Prompt Payment Affidavit
- F. Request for Taxpayer I.D. Number
- G. Completed Drug-Free Certificate
- H. SAVE Affidavit
- I. E-Verify Affidavit

All bids submitted shall be subject to acceptance or rejection and the City of Rome specifically reserves the right to accept or reject any or all bids, to waive any technicalities and formalities in the bidding.

Bidder shall submit all required forms and information simultaneously with sealed bids, which forms and information become a part of the property of the City of Rome and will not be returned to bidders unless a written request to withdraw is received prior to **December 15, 2020 at 3:00 p.m.**

V. Payment:

When contracts are awarded, payment by the City of Rome will be the normal 30-day cycle. However, the City does make every effort to honor all discounts.

Introduction

The City of Rome is requesting proposals from vendors interested in furnishing labor, material, and equipment to install fabric shade structures to cover the bleachers at Riverview Park.

Questions and Amendments

Any questions regarding this RFP shall be submitted by email to jabercrombie@rome.ga.us by **December 7, 2020 at 5:00 p.m. ET**. All questions will be answered and made publicly available. The City of Rome reserves the right to amend the RFP for any reason.

Proposal Submission

Proposals must be received no later than **3:00 p.m. EST on December 15, 2020**. Proposals received after this time will not be accepted or opened. The City of Rome reserves the right to contract in its best interests and to reject any and all bids at any time prior to award. The City of Rome will only accept proposals submitted in hard copy. All responses to this RFP must be made in accordance with the specifications as set forth herein. Failure to adhere to any specifications contained herein may be cause for your proposal to be rejected.

Contractors shall submit **one (1) original proposal and three (3) paper copies** of the proposal. Proposals must be sealed in a package marked with the name and address of the contractor. The City of Rome will date stamp the package with the submission date and submission time when it is received. Additionally, the sealed package in which the proposal is submitted should be labeled **“048-20 Pre-Engineered Fabric Shade Structures”**. Proposals that are faxed will not be accepted.

All completed proposals should be mailed or delivered to:

City of Rome
601 Broad Street
Rome, GA 30161

Responsive written proposals shall contain the information below:

- Product Description
 - Submit all required product data that is identified in the technical specifications.
 - Submit a sample of proposed material
 - Submit the warranty information for the manufacturer and installation
- Experience
 - Describe the history of your firm
 - Describe your firm's experience
- Key Personnel
 - Provide an organizational chart for implementing and managing the project including the responsibilities of each individual
 - Identify your proposed key personnel and their specific experience
 - Provide the names, addresses and phone numbers of three client project owners to be used as a reference
- Cost

Proposal Evaluation Process

Proposals will be evaluated by a committee comprised of City representatives. The evaluation process will include review of qualifications, proposed schedule and costs, and other information submitted with the proposal. Non-responsive or incomplete proposals will be rejected for further consideration.

The City of Rome reserves the right to waive any informality or irregularity in any bid, to reject any and all bids, to award a bid wholly or in part, to call for re-bid, and to negotiate with any contractor, if it is deemed in the best interest of the City of Rome to do so. As part of the evaluation process, the contractor may be required to attend one or more meetings with the City of Rome for the purpose of clarifying materials, products, services, and pricing. The selection process may include requests for additional information from individual contractors regarding the proposed materials, products, scope of services, pricing, and product specifications.

REQUIREMENTS FOR BIDDERS

These items apply to and become a part of the terms and conditions of the bidders bid. Any exceptions must be in writing.

- The manufacturer must be ISO 9001 certified
- The manufacturer must be ISO 14001 certified
- The manufacturer must be AISC certified
- The manufacturer is responsible for all field measurements: verify layout information for shade structures shown on the drawings in relation to the property's existing structures, and verify locations via field measurements prior to construction.

Notice is hereby given that the City of Rome will receive sealed bids from interested parties until **December 15, 2020 at 3:00 p.m.** at its offices located at 601 Broad Street, Rome, Georgia 30161.

Any bids received thereafter will not be considered.

Bids will be publicly opened and read at the City of Rome Purchasing Department located at 601 Broad Street on the day and at the hour specified.

The purchaser may consider as non-responsive, any bid in which there is an alteration of, or departure from the bid form hereto attached.

The City of Rome will review and evaluate the RFP responses, and determine the firm that demonstrates the greatest capabilities and relevant experience, proposes a reasonable cost, and is the most advantageous in fulfilling the City's goals for this project. The City of Rome reserves the right to accept, reject, and/or negotiate any or all proposals as determined by them to be in the City's best interest. The bidder to whom award is made will be notified at the earliest possible date. The purchaser reserves the right to reject the bid of a bidder who has previously failed to perform properly or complete on time, contracts of a similar nature, or the bid of a bidder who, in the sole opinion and discretion of the purchaser is not in a position to perform the contract, or whose name appears on the United States Comptroller General's list of ineligible contractors.

Bids may be withdrawn by written or faxed request, provided such withdrawals are received prior to bid opening date.

NOTE: Unless stated on the bid form the bid submitted will assume all specifications will be met. Please note on the bid form all exceptions.

NOTICE TO BIDDERS

It is the sole responsibility of the bidder(s) to ensure that proposals reach the Purchasing Department on or before the closing date and time. The City of Rome shall not be held responsible for delays caused by any situation. Offers by telephone, facsimile, or email will not be accepted.

The City of Rome will not be responsible for late deliveries or delayed mail. The proposal opening time shall be strictly observed. Under no circumstances shall proposals delivered after the specified time be considered.

Failure to restrict contacts or discussion regarding this RFP to the City of Rome Purchasing Department will be considered a serious breach of process and may, at the sole discretion of the City of Rome, result in disqualifying the violating party's firm from further consideration in this RFP opportunity. Additionally, any unauthorized contact with members of the City Commission or City employees by a bidder or a bidder's representative concerning this proposal may result in the disqualification of the bidder.

The City of Rome reserves the right to accept or reject any and all proposals, to waive any irregularity in proposals received, to award the entire proposal to one contractor or to make awards by group or by line item whichever is in the best interest of the City of Rome. Additionally, the City of Rome may unilaterally terminate this contract in whole or in part, for its convenience, availability of unobligated funds, or because of failure of the bidder to fulfill the contract obligations in any respect.

Specifications

048-20 Pre-Engineered Fabric Shade Structures

This specification is intended to describe installation of pre-engineered fabric shade structures to cover bleachers at Riverview Park located at 255 Frost Drive, Rome, GA 30165. The contractor will be expected to provide all labor, tools, equipment and materials necessary to perform the work as described.

GENERAL SPECIFICATIONS

Bidders Response

1. The proposed structure(s) shall be manufactured by Skyways, a brand of Landscape Structures Inc., or equal, shall be modular and pre-fabricated, and include the structural steel frame, fabric roof, steel cables, all fasteners, and foundation hardware.

2. The supplied unit(s) shall be Joined Hip Structures – 16' x 40' With 8' entry – 6 columns + 2 HDPE Tops. See plans for reference. Plans show general area of desired coverage; contractor to provide specific solutions for these areas.

3. All fabric tops must be connected to the structural frame via an Internal Rapid Release System, designed to improve removal of the fabric tops in the winter months.

4. All modular shade structures shall be palletized and shipped as a pre-fabricated package. This should include structural frame members, fabric roof, all fasteners, and installation manual. The palletized shipment should have a central pick-point so the shipment can safely and easily be unloaded via forklift equipment.

5. All shade structures are engineered and designed to meet the following loads, but is also dependent on the geographic location of the installation and the local building codes.

IBC 2015
105 MPH Wind Load
5 PSF Snow Load

STEEL

Bidders Response

1. All steel members of the shade structure shall be designed in strict accordance with the requirements of the "American Institute of Steel Construction" (AISC) Specifications.

2. All connections shall have a maximum internal sleeving tolerance of 0.0625 inches, using high-tensile strength steel sections, with a minimum sleeve length of 10 inches.

3. All hollow not round structural steel member shall be cold-formed, high-strength steel, and comply with ATSM-A500, Grade B or C As required.

4. All steel plates shall comply to ASTM A-572, Grade 50 or to ASTM A-36 as required.

BOLTS

Bidders Response

1. All structural field connections of the shade structure shall be designed and made with high-strength bolted connections using either ASTM A-325, Grade B or SAE J249 Grade 8 as required and indicated on the drawings.

2. All stainless-steel bolts shall comply with ASTM F-593, Alloy Group 1 or 2.

3. All bolt fittings that secure sleeve connections shall include washers for water-tight seals at joints.

WELDING

Bidders Response

1. All shop-welded connections of the shade structure shall be designed and performed in strict accordance with the requirements of the "American Welding Society" (AWS) Specifications.

2. Structural welds shall be made in compliance with the Requirements of the "Prequalified" welded joints, where applicable, and by certified welders.

3. No onsite or field welding shall be permitted.

POWDER COATING

Bidders Response

1. Carbon structural steel tubing preparation prior to powder coating shall be executed in accordance to commercial blast cleaning SSPC-SP6 or NACE #3.

2. A commercial blast-cleaned surface, when viewed without magnification, shall be free of all visible oil, grease, dirt, mill scale, rust, coating, oxides, corrosion, as well as other products of foreign material.

3. All metal parts and surfaces, except hardware, shall be coated with ProShield finish where a minimum 0.002" of epoxy zinc rich primer is applied. A minimum 0.004" of architectural-grade Super Durable polyester TGIC powder is applied. The average ProShield film thickness is 0.006".

4. ProShield is formulated and tested per the following ASTM standards. Each color must meet or exceed the ratings listed below:
 - Hardness (D3363) rating 2H
 - Flexibility (D522) pass 1/8" mandrel
 - Impact (D2794) rating minimum 80 inch-pounds
 - Salt fog resistance (B117 and D1654) 4,000 hours and rating 6 or greater
 - UV Exposure (G154, 340 bulb) 3,000 hours, rating delta E of 2, and 90% gloss retention
 - Adhesion (D3359, Method B) Rating 5

5. Manufacturer to provide Hatch test results to verify finish adhesion.

6. Manufacturer to provide in-process quality reports results to verify complete cure of the finish.

7. Manufacturer to provide in-process quality reports to verify complete cure of the finish.

FABRIC TENSION CABLES

Bidders Response

1. All steel cable diameters and types, shall be determined based on calculated engineering load.

2. Structural wire rope cables shall conform to the latest revision of ASTM A 603, "Standard Specification for zinc-coated steel Structural wire rope".

3. Structural strand cables shall conform to the latest revision of ASTM A 586, "Standard specification for zinc-coated parallel and helical steel wire structural strand."

4. Seven wire pre-stressing strand shall conform to the latest revision of ASTM A 416, "Standard specification for uncoated seven wire stress relieved strand for pre-stressed concrete" and shall be grade 270.

FABRIC ROOF SYSTEMS

Bidders Response

1. UV shade fabric shall be made of UV-stabilized high-density polyethylene (HDPE). This mesh fabric must be lock stitch knit with monofilament and tape yarn. _____
2. Fabric weight shall be 10.0 Oz/SQ. YD. _____
3. Fabric shall conform to and pass the ASTM E-84 testing standard, with a flame spread index of no greater than 15. _____
4. Fabric shall have a life expectancy of 12-year minimum with continuous sun exposure. _____
5. Fabric shall have minimal fading after 6 years of continuous exposure to the elements. _____
6. Tensile Strength Warp, 142.75 lbs. / Weft, 560.67 lbs. _____
7. Elongation Warp, 95.6% / Weft, 70.4% _____
8. Tear Strength Warp, 42.03 lbs. / Weft, 80.70 lbs. _____
9. Burst Pressure 507.63 (psi) _____
10. Burst Strength 482.43 lbs. _____
11. Fabric shall block a minimum of 89.3% of the UV Spectrum. _____
12. Fabric shall provide a minimum of 74.3% Shade Factor. _____
13. All fabric joints to be prefabricated, no sewing is allowed on site. _____
14. Thread shall be manufactured from 100% expanded polytetrafluoroethylene (PTFE). This mildew-resistant, exterior-approved thread shall meet or exceed the following:
 - Flexible temperature range _____
 - Very low shrinkage factor _____
 - Extremely high strength; durable in outdoor climates _____
 - Resists flex and abrasion of fabric _____
 - Unaffected by cleaning agents, as well as acid rain, mildew, saltwater _____
 - Rot-resistant, and unaffected by most industrial pollutants _____
 - Specially treated for prolonged exposure to the sun _____
 - Lockstitch thread – 1200 denier or equal _____
 - Chain stitch thread – 1200 denier or equal _____
15. All corners shall be reinforced with extra non-tear fabric and strapping to properly distribute load(s). _____

16. The perimeters of the fabric that contain the cables shall be double Lockstitches.

17. Rapid release system designed to improve the removal / Reinstallation process of the fabric.
 - This system must be integrated internally into the structure, and is not an external hardware attachment.

 - This system must have superior corrosion resistance as opposed to the typical finish of the structure.

 - The mechanism of this system must function with an ACME Threaded Rod

INSTALLATION

Bidders Response

1. Installation of the proposed structure(s) shall be performed by an installation contractor that has been certified by the manufacturer with a minimum of 32 hours of training.

2. Concrete work shall be executed in accordance with the latest edition of the American Concrete Building Code, ACI 318.

3. Concrete specifications shall comply as per plans, and as follows:
 - 28-day strength F'c 2,500 psi – 3,000 psi

4. All reinforcement shall conform to ASTM A-615, Grade 60.

5. Reinforcing steel shall be detailed, fabricated, and placed in accordance with the latest ACI Detailing Manual, and Manual of Standard Practice.

6. All anchor bolts, to be set in new concrete, shall be ASTM F-1554, Grade 55.

7. All anchor bolts shall be hot-dip galvanized if exposed to weather.

8. Footings shall be placed in accordance with, and conform to, manufacturer's engineered drawings and specifications.

WARRANTY

Bidders Response

1. The successful bidder shall provide a three (3) years warranty on all labor and materials.

2. A supplemental warranty from the manufacturer shall be provided for a period of ten (10) years (pro-rated) on fabric and twenty (20) years on steel components against structural failure due to material

or manufacturing defects.

3. The warranty shall not deprive the Owner of the rights the Owner may have under the provisions of the contract documents, and will be in addition to, and run concurrent with, other warranties made by the contractor under requirements of the contract documents.

4. All reinforcement shall conform to ASTM A-615, Grade 60.

5. Reinforcing steel shall be detailed, fabricated, and placed in accordance with the latest ACI Detailing Manual, and Manual of Standard Practice.

****** The City of Rome must approve all materials used in this project ******

General Conditions

1. Owner reserves the right to eliminate components if needed due to budget constraints.

Bidders Response: _____

2. All areas adjacent to the work areas must be kept free from litter and work debris at all times. The contractor is responsible for providing a receptacle for waste and debris if necessary.

Bidders Response: _____

3. Grounds, plants, shrubbery, heating and cooling equipment must be adequately protected during the work period, if there is work being done in the immediate area.

Bidders Response: _____

4. The contractor is responsible for all work materials and equipment left on the premises during the work period.

Bidders Response: _____

5. Progress payments are authorized for this job. 10 percent retainage will always be maintained. Payment for the final invoice will be paid within 10 days after acceptance and approval of the work.

Bidders Response: _____

6. A certificate of insurance must be provided before any works begin. Insurance must be in the amount of \$2,000,000 dollars liability with the City of Rome as the additionally insured.

Bidders Response: _____

7. The City of Rome must approve all materials used in this project.

Bidders Response: _____

8. The contractor must have workers compensation in accordance with the laws of the State of Georgia.

Bidders Response: _____

BID FORM

TO: City of Rome – Purchasing Department
601 Broad Street
Rome, Georgia 30161
ATTN: BECKY SMYTH

BID PKG. “048-20 Pre-Engineered Fabric Shade Structures”

**Cost to include shipping and handling to 255 Frost Drive, Rome, GA 30165.
**The City of Rome wishes to purchase up to 8 structures pending costs.

Cost per 16’ X 40’ Hip Structure: _____ (including installation)

Cost per 16’ X 40’ Hip Structure: _____ (without installation)

**Please note if there will be a price break at a certain quantity

All bids submitted shall be subject to acceptance or rejection and the City of Rome specifically reserves the right to accept or reject any or all bids, to waive any technicalities and formalities in the bidding. The City of Rome must approve all materials used in this project.

The undersigned understands that any conditions stated above, clarifications made to the above or information other than that requested should be under separate cover and to be considered only at the discretion of the Purchasing Department.

Name of Individual, Partner
or Corporation

Company

Title

Address

Authorized Signature

City, State, Zip Code

Company phone number

Please Attach Company Contact’s Business Card:

BIDDERS DECLARATION

The bidder understands, agrees and warrants:

- That the bidder has carefully read and fully understands the full scope of the specifications.
- That the bidder has the capability to successfully undertake and complete the responsibilities and obligations in said specifications.
- That the bidder has liability insurance and a declaration of insurance form is included in the bid package.
- That this bid may be withdrawn by requesting such withdrawal in writing at any time prior to **December 15, 2020 3:00 p.m.** but may not be withdrawn after such date and time.
- That the City of Rome reserves the right to reject any or all bids and to accept that bid which will, in its opinion, best serve the public interest. The City of Rome reserves the right to waive any technicalities and formalities in the bidding.
- That by submission of this bid the bidder acknowledges that the City of Rome has the right to make any inquiry or investigation it deems appropriate to substantiate or supplement information supplied by the bidder.
- If a partnership, a general partner must sign.
- If a corporation, the authorized corporate officer(s) must sign and the corporate seal must be affixed to this bid.

BIDDER:

Name

Title

Name

Title

AFFIX CORPORATE SEAL (If Applicable)

CERTIFICATE OF NON-DISCRIMINATION

In connection with the performance of work under this contract, the bidder agrees as follows:

The bidder agrees not to discriminate against any employee or applicant for employment because of race, creed, color, sex, national origin, ancestry or disability. The vendor shall take affirmative action to ensure that employees are treated without regard to their race, creed, color, sex, national origin, ancestry or disability. Such action shall include, but not be limited to the following: employment, upgrading, demotion, transfer, recruiting or recruitment, advertising, lay-off or termination, rates of pay or other compensation and selection for training, including apprenticeship.

In the event of the bidder's non-compliance with this non-discrimination clause, the contract may be canceled or terminated by the City of Rome. The bidders may be declared, by the City of Rome, ineligible for further contracts with the City of Rome until satisfactory proof of intent to comply shall be made by the vendor.

The bidder agrees to include this non-discrimination clause in any sub-contracts connected with the performance of this agreement.

BIDDER

SIGNATURE

TITLE

NON-COLLUSION AFFIDAVIT

The following affidavit is to accompany the bid:

STATE OF

COUNTY OF

Owner, Partner or Officer of Firm

Company Name, Address, City and State

Being of lawful age, being first duly sworn, on oath says that he/she is the agent authorized by the bidder to submit the attached bid. Affidavit further states as bidder, that they have not been a party to any collusion among bidders in restraint of competition by agreement to bid at a fixed price or to refrain from bidding; or with any office of the City of Rome or any of their employees as to quantity, quality or price in the prospective contract; or any discussion between bidders and any official of the City of Rome or any of their employees concerning exchange of money or other things of value for special consideration in submitting a sealed bid for:

FIRM NAME _____

SIGNATURE _____

TITLE _____

Subscribed and sworn to before me this _____ day of _____ 20_____

NOTARY PUBLIC

STATE OF GEORGIA PROMPT PAY ACT AFFIDAVIT

THIS AFFIDAVIT IS TO ACCOMPANY THE BID

GEORGIA PROMPT PAY ACT: The Georgia Prompt Pay Act was enacted by the General Assembly in 1994 and took effect January 1, 1995. This act requires owners to pay contractors within 15 days of receipt of a pay request by the owner or the owner's representative. If payment is not made the owner shall pay the contractor 1% per month interest on the delayed payment. Additionally, the contractor must pay subcontractors within 15 days of receipt of payment from the owner.

This Act is Code Section 13-11-1 (Georgia Laws of 1994, p. 1398 par. 4)

Firm Name: _____

Signature: _____

Title: _____

Subscribed and Sworn to before me this _____ day of _____, 20 _____

Notary Public

CITY OF ROME

DRUG-FREE WORKPLACE CERTIFICATE

By signature on this certificate, the Bidder certifies that the provisions of O.C.G.A. Section 50-24-1 through 50-24-6 related to the "Drug-Free Workplace Act" will be complied with in full. The Bidder further certifies that:

1. A drug-free workplace will be provided for the Bidder's employees during the performance of the contract; and
2. Each contractor who hires a subcontractor to work in a drug-free workplace shall secure from that subcontractor the following written certification: "As part of the subcontracting agreement with (contractor's name), (subcontractor's name) certifies to the contractor that a drug-free workplace will be provided for the subcontractor's employees during the performance of this contract pursuant to O.C.G.A. Section 50-24-3(b)(7)."

By signature on this certificate, the Bidder further certifies that it will not engage in the unlawful manufacture, sale, distribution, dispensation, possession, or use of a controlled substance or marijuana during the performance of the contract.

Bidder: _____

By: _____

Name Printed: _____

Title: _____

Date: _____

CITY OF ROME, GEORGIA
E-VERIFY COMPLIANCE AFFIDAVIT

By executing this affidavit, the undersigned contractor verifies its compliance with O.C.G.A. § 13-10-91, stating affirmatively that the individual, firm or corporation which is engaged in the physical performance of services on behalf of the City of Rome, Georgia has registered with, is authorized to use and uses the federal work authorization program commonly known as E-Verify, or any subsequent replacement program, in accordance with the applicable provisions and deadlines established in O.C.G.A. § 13-10-91. Furthermore, the undersigned contractor will continue to use the federal work authorization program throughout the contract period and the undersigned contractor will contract for the physical performance of services in satisfaction of such contract only with subcontractors who present an affidavit to the contractor with the information required by O.C.G.A, § 13-10-91 (b). Contractor hereby attests that its federal work authorization user identification number and date of authorization are as follows:

Federal Work Authorization User Identification number
(Not Required if Less than 10 Employees)

Signature (if less than 10 employees)

Date of Authorization

Name of Contractor

Name of Project

Name of Public Employer

I hereby declare under penalty of perjury that the foregoing is true and correct.

Executed on _____, _____, 20____ in _____(city) _____ (state).

Signature of Authorized Officer or Agent

Printed Name and Title of Authorized Officer or Agent

SUBSCRIBED AND SWORN BEFORE ME
ON THIS THE _____ DAY OF _____, 20_____

NOTARY PUBLIC
My Commission Expires:

CITY OF ROME, GEORGIA

SAVE COMPLIANCE AFFIDAVIT

O.C.G.A § 50-36-1(e) (2) Affidavit

By executing this affidavit under oath, as an applicant for a (n) Contract or Services, as referenced O.C.G.A. C. § 50-36-1, from the City of Rome, Georgia, the undersigned applicant verifies one of the following with respect to my application for a public benefit:

- 1) _____ I am a United State citizen.
- 2) _____ I am a legal permanent resident of the United States
- 3) _____ I am a qualified alien or non-immigrant under the Federal Immigration and Nationality Act with an alien number issued by the Department of Homeland Security or other federal immigration agency.
My alien number issued by the Department of Homeland Security or other federal immigration agency is: _____.

The undersigned applicant also hereby verifies that he or she is 18 years of age or older and has provided at least one secure and verifiable document, as required by O.C.G.A. § 50-36-1(e) (1), with this affidavit. The secure and verifiable document provided with this affidavit can best be classified as:

_____.

In making the above representation under oath, I understand that any person who knowingly and willfully makes a false, fictitious, or fraudulent statement or representation in an affidavit shall be guilty of a violation of O.C.G.A. § 16-10-20, and face criminal penalties as allowed by such criminal statute.

Executed in _____ (city), _____ (state).

Signature of Applicant

Name of Applicant Printed

SUBSCRIBED AND SWORN

BEFORE ME ON THIS THE

_____ DAY OF _____, 20_____

NOTARY PUBLIC
My Commission Expires:

Shade Structure Example

